



**LASHING SYSTEMS**



**SLINGS**

## Cambuckle strap 250



The lightweight ratchet set consists of a tensioning device with a 25 mm wide band. This item is essential to immobilize light loads of any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load.

**MATERIAL:** Band: 100 % polyester  
Buckle: Zinc plated steel

**FINISH:** Yellow color

Denomination	Part Number	Type of mooring	Load C.M.U (kg)	Useful length L (m)	Band width (mm)	Qty/Blister	Outer Box Quantity
TCL250	09531606	Buckle	250	3	25	2	42

## Cambuckle strap 450



The lightweight ratchet set consists of a tensioning device with a 35 mm wide band. This item is essential to immobilize light loads of any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load.

**MATERIAL:** Band: 100 % polyester  
Buckle: Zinc plated steel

**FINISH:** Red color

Denomination	Part Number	Type of mooring	Load C.M.U (kg)	Useful length L (m)	Band width (mm)	Qty/Blister	Outer Box Quantity
TCL450	09531614	Buckle	450	4	35	1	20

## Cambuckle strap 800



The lightweight ratchet set consists of a tensioning device with a 25 mm wide band. This item is essential to immobilize light loads of any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load.

**MATERIAL:** Band: 100 % polyester  
Buckle: Zinc plated steel

**FINISH:** Orange color

Denomination	Part Number	Type of mooring	Load C.M.U (kg)	Useful length L (m)	Band width (mm)	Qty/Blister	Outer Box Quantity
TCL800	09531622	Ratchet	800	5	25	1	20

## Two part heavy duty ratchet set



This ratchet set consists of a tensioning device with a sewn band with an open hook end and another band section with an open hook end. This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: Orange  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band length (m)	Band width (mm)	Box Quantity	Outer Box Quantity
		800	400				
TCPGA80025	09531500	800	400	5(0,3+4,7)	25	1 en blister	20



## Two part heavy duty ratchet set



This ratchet set consists of a tensioning device with a sewn band with a closed hook end and another band section with a closed hook end.

This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load. EN 12195/2.

<b>MATERIAL:</b>	Band: 100 % polyester Ratchet: Steel and PVC Hooks: Steel
<b>FINISH:</b>	Ratchet and hooks: Zinc plated
<b>COLOR:</b>	Band: Orange Ratchet (ergonomic part): Black



Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
							
TCPGC80025	09531550	800	400	5(0,3+4,7)	25	1 en blister	20

## Two part heavy duty ratchet set



This ratchet set consists of a tensioning device with a sewn band with an open hook end and another band section with a closed hook end. This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load. EN 12195/2.

<b>MATERIAL:</b>	Band: 100 % polyester Ratchet: Steel and PVC Hooks: Steel
<b>FINISH:</b>	Ratchet and hooks: Zinc plated
<b>COLOR:</b>	Band: Orange Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
							
TCPGA200035	09531518	2.000	1.000	6(0,3+5,7)	35	1	20

## Two part heavy duty ratchet set



This ratchet set consists of a tensioning device with a sewn band with an open hook end and another band section with an open hook end. This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: Blue  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band length (m)	Band width (mm)	Box Quantity	Outer Box Quantity
TCPGA400050	09531526	4.000	2.000	9(0,4+8,6)	50	1	10

## Two part heavy duty ratchet set



This ratchet set consists of a tensioning device with a sewn band with an open hook end and another band section with an open hook end. This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: Orange  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band length (m)	Band width (mm)	Box Quantity	Outer Box Quantity
TCPGA500050	09531530	5.000	2.500	9(0,4+8,6)	50	1	4

## Two part heavy duty ratchet set



This ratchet set consists of a tensioning device with a sewn band with a closed hook end and another band section with a closed hook end.

This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: Orange  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
TCPGC200035	09531569	2.000	1.000	6(0,3+5,7)	35	1	25

## Two part heavy duty ratchet set



This ratchet set consists of a tensioning device with a sewn band with a closed hook end and another band section with a closed hook end.

This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: Blue  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
TCPGC400050	09531577	4.000	2.000	9(0,4+8,6)	50	1	10

## Two part heavy duty ratchet set





This ratchet set consists of a tensioning device with a sewn band with a closed hook end and another band section with a closed hook end.

This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: Orange  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
							
TCPGC500050	09531600	5.000	2.500	9(0,4+8,6)	50	1	10

## Reverse handle pulling system "Confort"





This ratchet set consists of a tensioning device with a sewn band with an open hook end and another band section with an open hook end. This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, this item differs from standard ratchet sets in that the force on the ratchet wrench is exerted in opposite direction and the length of the ratchet, the tooth system and the tensioning direction allow for the lashing to be carried out with a lesser force.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: blue  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
							
TCPIA50	09531700	4.000	2.000	9(0,40+8,6)	50	1	4

## Reverse handle pulling system "Confort"



This ratchet set consists of a tensioning device with a sewn band with an open hook end and another band section with an open hook end. This item is essential to immobilize any type of freight that is transported by land, air or sea. In addition, this item differs from standard ratchet sets in that the force on the ratchet wrench is exerted in opposite direction and the length of the ratchet, the tooth system and the tensioning direction allow for the lashing to be carried out with a lesser force.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: blue  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
		4.000	2.000				
TCPIC50	09531750	4.000	2.000	9(0,40+8,6)	50	1	4

## Car transport system



Turnbuckle and band set for fastening cars to car carriers, lorries or cranes. It has two swivel hooks and includes protective/non-slip rubber plugs and a third fastening hook.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: blue  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
		4.000	2.000				
TCPPC50	09531588	4.000	2.000	2,5	50	1	15



## Heavy duty lashing ratchet and strap



Heavy-duty ratchet sets are also available separately, so that any of the parts can be replaced when deteriorated. The ratchet set to be used must be correct and indicated for the actual load to be lashed. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: blue  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
		4.000	2.000				
ATPGA50	09531542	4.000	2.000	0,40	50	1	18

## Heavy duty lashing ratchet and strap



Heavy-duty ratchet sets are also available separately, so that any of the parts can be replaced when deteriorated. The ratchet set to be used must be correct and indicated for the actual load to be lashed. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Hooks: Steel

**FINISH:** Hooks: Zinc plated

**COLOR:** Band: blue

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
		4.000	2.000				
CTPGA50	09531534	4.000	2.000	8,60	50	1	18

## Heavy duty lashing ratchet and strap



Heavy-duty ratchet sets are also available separately, so that any of the parts can be replaced when deteriorated. The ratchet set to be used must be correct and indicated for the actual load to be lashed. EN 12195/2.

**MATERIAL:** Band: 100 % polyester  
Ratchet: Steel and PVC  
Hooks: Steel

**FINISH:** Ratchet and hooks: Zinc plated

**COLOR:** Band: blue  
Ratchet (ergonomic part): Black

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
		4.000	2.000				
ATPGC50	09531454	4.000	2.000	0.40	50	1	25

## Heavy duty lashing ratchet and strap



Heavy-duty ratchet sets are also available separately, so that any of the parts can be replaced when deteriorated. The ratchet set to be used must be correct and indicated for the actual load to be lashed. EN 12195/2.


**MATERIAL:** Band: 100 % polyester  
Hooks: Steel

**FINISH:** Hooks: Zinc plated

**COLOR:** Band: blue

Denomination	Part Number	Load C.M.U (kg)		Band lenght (m)	Band width (mm)	Box Quantity	Outer Box Quantity
		4.000	2.000				
CTPGC50	09531462	4.000	2.000	8.80	50	1	20

## Ratchet strap



The polyester band is very suitable for single-use lashings to immobilize loads arranged in containers suitable for freight transport. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load.

Besides, bands for fastening systems are also lighter, easier to handle and cheaper than chains or steel wires.

**MATERIAL:** 100 % polyester  
**FINISH:** Orange or blue color

Denomination	Part Number	Load C.M.U (kg)	Useful length L (m)	Band width (mm)	Color	Box Quantity	Outer Box Quantity
CPT25x100	09531801	1.200	100	25	Orange	1	1
CPT35x100	09531811	3.000	100	35	Orange	1	1
CPT55x100	09531821	5.250	100	50	Blue	1	1

## Buckle for ratchet set



The buckle is a metal accessory with a square structure that has an articulated grooved pin to hold the band at the desired point. It is an essential accessory for the functionality of fastening systems for light loads. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load.

**MATERIAL:** Steel  
**FINISH:** Zinc plated

Denomination	Part Number	Breaking load	Useful width (mm)	Box Quantity	Outer Box Quantity
H250	09531446	500	25	5	80
H450	09531857	700	35	5	40

## Heavy-duty ratchet




The heavy-duty ratchet set is a metal accessory designed with articulated mechanisms suitable for tensioning fastening bands. It is an essential accessory for the functionality of lashing systems for heavy loads. In addition, its correct application avoids possible damage due to bumps, friction and movement or tipping during the transport of the load.

**MATERIAL:** Metal part: Alloy steel  
Ergonomic part: PVC

**FINISH:** Galvanized

Denomination	Part Number	LC resistance (Mooring load)	Useful width (mm)	Box Quantity	Outer Box Quantity
AT800	09531913	400 daN	25	1	16
AT2000	09531745	1.500 daN	35	1	16
AT5000	09531630	2.500 daN	50	1	20

## Open hook for ratchet strap




The open hook is made of steel and has been designed to be used together with a polyester band as a grip system.

**MATERIAL:** Steel  
**FINISH:** Zinc plated

Denomination	Part Number	Load C.M.U (kg)		Band width (mm)	Ø D	L	L1	Box Quantity	Outer Box Quantity
TEA2000	09531702	2.000	1.000	35	9,2	38,5	52	5	40
TEA4000	09531690	4.000	2.000	50	11,5	54	60	5	40

## Closed hook for ratchet strap



The closed hook is made of steel and has been designed to be used together with a polyester band as a grip system.

**MATERIAL:** Steel  
**FINISH:** Zinc plated







Denomination	Part Number	Load C.M.U (kg)		Band width (mm)	Ø D	L	L1	Box Quantity	Outer Box Quantity
									
TEC800	09531930	800	400	25	6,10	28	50	5	40
TEC2000	09531673	2.000	1.000	35	9,2	38	64	5	40
TEC5000	09531665	4.000 5.000	2.000 2.500	50	11,5	52	80	5	40



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING





The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1

**MATERIAL:** 100 % polyester  
**FINISH:** Violet color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 1,0x1	09529803	1.000	1	30	1	1
SLGS 1,0x1,5	09529815	1.000	1,5	30	1	1
SLGS 1,0x2	09529824	1.000	2	30	1	1
SLGS 1,0x3	09529837	1.000	3	30	1	1
SLGS 1,0x4	09529848	1.000	4	30	1	1
SLGS 1,0x5	09529850	1.000	5	30	1	1
SLGS 1,0x6	09529861	1.000	6	30	1	1
SLGS 1,0x8	09529873	1.000	8	30	1	1
SLGS 1,0x10	09529889	1.000	10	30	1	1



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING

The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1





**MATERIAL:** 100 % polyester  
**FINISH:** Orange color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 1,5x1	09530013	1.500	1	50	1	1
SLGS 1,5x1,5	09530021	1.500	1,5	50	1	1
SLGS 1,5x2	09530030	1.500	2	50	1	1
SLGS 1,5x2,5	09530048	1.500	2,5	50	1	1
SLGS 1,5x3	09530056	1.500	3	50	1	1
SLGS 1,5x3,5	09530064	1.500	3,5	50	1	1
SLGS 1,5x4	09530072	1.500	4	50	1	1
SLGS 1,5x4,5	09530080	1.500	4,5	50	1	1
SLGS 1,5x5	09530099	1.500	5	50	1	1
SLGS 1,5x6	09530101	1.500	6	50	1	1
SLGS 1,5x6,5	09530110	1.500	6,5	50	1	1
SLGS 1,5x8	09530128	1.500	8	50	1	1
SLGS 1,5x10	09530136	1.500	10	50	1	1
SLGS 1,5x12	09530144	1.500	12	50	1	1

## Flat sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING

The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1





**MATERIAL:** 100 % polyester  
**FINISH:** Green color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 2,0x1	09530152	2.000	1	60	1	1
SLGS 2,0x1,5	09530160	2.000	1,5	60	1	1
SLGS 2,0x2	09530179	2.000	2	60	1	1
SLGS 2,0x2,5	09530187	2.000	2,5	60	1	1
SLGS 2,0x3	09530195	2.000	3	60	1	1
SLGS 2,0x3,5	09530208	2.000	3,5	60	1	1
SLGS 2,0x4	09530216	2.000	4	60	1	1
SLGS 2,0x4,5	09530224	2.000	4,5	60	1	1
SLGS 2,0x5	09530232	2.000	5	60	1	1
SLGS 2,0x6	09530240	2.000	6	60	1	1
SLGS 2,0x6,5	09530259	2.000	6,5	60	1	1
SLGS 2,0x8	09530267	2.000	8	60	1	1
SLGS 2,0x10	09530275	2.000	10	60	1	1
SLGS 2,0x12	09530283	2.000	12	60	1	1

## Flat sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING

The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1





**MATERIAL:** 100 % polyester  
**FINISH:** Green color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 2,5x1	09530290	2.500	1	75	1	1
SLGS 2,5x1,5	09530304	2.500	1,5	75	1	1
SLGS 2,5x2	09530312	2.500	2	75	1	1
SLGS 2,5x2,5	09530320	2.500	2,5	75	1	1
SLGS 2,5x3	09530339	2.500	3	75	1	1
SLGS 2,5x3,5	09530347	2.500	3,5	75	1	1
SLGS 2,5x4	09530355	2.500	4	75	1	1
SLGS 2,5x4,5	09530363	2.500	4,5	75	1	1
SLGS 2,5x5	09530371	2.500	5	75	1	1
SLGS 2,5x6	09530380	2.500	6	75	1	1
SLGS 2,5x6,5	09530398	2.500	6,5	75	1	1
SLGS 2,5x8	09530400	2.500	8	75	1	1
SLGS 2,5x10	09530419	2.500	10	75	1	1
SLGS 2,5x12	09530427	2.500	12	75	1	1

## Flat sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLER	ANGLE FROM 0° TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING

The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1





**MATERIAL:** 100 % polyester  
**FINISH:** Yellow color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 3,0x1	09530435	3.000	1	90	1	1
SLGS 3,0x1,5	09530443	3.000	1,5	90	1	1
SLGS 3,0x2	09530451	3.000	2	90	1	1
SLGS 3,0x2,5	09530460	3.000	2,5	90	1	1
SLGS 3,0x3	09530478	3.000	3	90	1	1
SLGS 3,0x3,5	09530486	3.000	3,5	90	1	1
SLGS 3,0x4	09530494	3.000	4	90	1	1
SLGS 3,0x4,5	09530507	3.000	4,5	90	1	1
SLGS 3,0x5	09530515	3.000	5	90	1	1
SLGS 3,0x6	09530523	3.000	6	90	1	1
SLGS 3,0x6,5	09530531	3.000	6,5	90	1	1
SLGS 3,0x8	09530540	3.000	8	90	1	1
SLGS 3,0x10	09530558	3.000	10	90	1	1
SLGS 3,0x12	09530566	3.000	12	90	1	1

## Flat sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLER	ANGLE FROM 0° TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING

The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1

**MATERIAL:** 100 % polyester  
**FINISH:** Grey color





Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 4,0x1	09530574	4.000	1	120	1	1
SLGS 4,0x1,5	09530582	4.000	1,5	120	1	1
SLGS 4,0x2	09530590	4.000	2	120	1	1
SLGS 4,0x2,5	09530603	4.000	2,5	120	1	1
SLGS 4,0x3	09530611	4.000	3	120	1	1
SLGS 4,0x3,5	09530620	4.000	3,5	120	1	1
SLGS 4,0x4	09530638	4.000	4	120	1	1
SLGS 4,0x4,5	09530646	4.000	4,5	120	1	1
SLGS 4,0x5	09530654	4.000	5	120	1	1
SLGS 4,0x6	09530662	4.000	6	120	1	1
SLGS 4,0x6,5	09530670	4.000	6,5	120	1	1
SLGS 4,0x8	09530689	4.000	8	120	1	1
SLGS 4,0x10	09530697	4.000	10	120	1	1
SLGS 4,0x12	09530700	4.000	12	120	1	1



## Flat sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLD	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING

The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1





**MATERIAL:** 100 % polyester  
**FINISH:** Brown color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 6,0x4	09530718	6.000	4	180	1	1
SLGS 6,0x4,5	09530726	6.000	4,5	180	1	1
SLGS 6,0x5	09530734	6.000	5	180	1	1
SLGS 6,0x6	09530742	6.000	6	180	1	1
SLGS 6,0x6,5	09530750	6.000	6,5	180	1	1
SLGS 6,0x8	09530769	6.000	8	180	1	1
SLGS 6,0x10	09530777	6.000	10	180	1	1
SLGS 6,0x12	09530785	6.000	12	180	1	1

## Flat sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLD	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING

The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1





**MATERIAL:** 100 % polyester  
**FINISH:** Blue color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 8,0x4	09530793	8.000	4	240	1	1
SLGS 8,0x5	09530814	8.000	5	240	1	1
SLGS 8,0x6	09530822	8.000	6	240	1	1
SLGS 8,0x8	09530849	8.000	8	240	1	1
SLGS 8,0x10	09530857	8.000	10	240	1	1

## Flat sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLER	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



TWO LAYER SLING

The flat sling is a double-layer textile band with a predetermined width, length and colour, with reinforced eyes at its ends. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use. EN1492-1





**MATERIAL:** 100 % polyester  
**FINISH:** Orange color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Length L (m)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGS 10,0x4	09530873	10.000	4	300	1	1
SLGS 10,0x5	09530890	10.000	5	300	1	1
SLGS 10,0x6	09530902	10.000	6	300	1	1
SLGS 10,0x8	09530929	10.000	8	300	1	1
SLGS 10,0x10	09530937	10.000	10	300	1	1

## Round sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLER	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



ENDLESS SLING

The round sling has a tubular weave that protects the internal fibres. This prevents them from coming into direct contact with the load and suffering wear due to friction or other factors. EN1492-2





**MATERIAL:** 100 % polyester  
**FINISH:** Violet color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTU 1x2	09531016	1.000	2	30	45	1	1
SLTU 1x3	09531024	1.000	3	30	45	1	1
SLTU 1x4	09531032	1.000	4	30	45	1	1
SLTU 1x5	09531040	1.000	5	30	45	1	1
SLTU 1x6	09531059	1.000	6	30	45	1	1
SLTU 1x8	09531067	1.000	8	30	45	1	1
SLTU 1x10	09531075	1.000	10	30	45	1	1

## Round sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
			
x1x	2	x0,8	x1,4



ENDLESS SLING

The round sling has a tubular weave that protects the internal fibres. This prevents them from coming into direct contact with the load and suffering wear due to friction or other factors. EN1492-2





**MATERIAL:** 100 % polyester  
**FINISH:** Green color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTU 2x2	09531083	2.000	2	34	50	1	1
SLTU 2x3	09531091	2.000	3	34	50	1	1
SLTU 2x4	09531104	2.000	4	34	50	1	1
SLTU 2x5	09531112	2.000	5	34	50	1	1
SLTU 2x6	09531120	2.000	6	34	50	1	1
SLTU 2x8	09531139	2.000	8	34	50	1	1
SLTU 2x10	09531147	2.000	10	34	50	1	1

## Round sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
			
x1x	2	x0,8	x1,4



ENDLESS SLING

The round sling has a tubular weave that protects the internal fibres. This prevents them from coming into direct contact with the load and suffering wear due to friction or other factors. EN1492-2





**MATERIAL:** 100 % polyester  
**FINISH:** Yellow color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTU 3x2	09531155	3.000	2	35	60	1	1
SLTU 3x3	09531163	3.000	3	35	60	1	1
SLTU 3x4	09531171	3.000	4	35	60	1	1
SLTU 3x5	09531180	3.000	5	35	60	1	1
SLTU 3x6	09531198	3.000	6	35	60	1	1
SLTU 3x8	09531200	3.000	8	35	60	1	1
SLTU 3x10	09531219	3.000	10	35	60	1	1

## Round sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLD	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



ENDLESS SLING

The round sling has a tubular weave that protects the internal fibres. This prevents them from coming into direct contact with the load and suffering wear due to friction or other factors. EN1492-2





**MATERIAL:** 100 % polyester  
**FINISH:** Grey color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTU 4x2	09531227	4,000	2	46	70	1	1
SLTU 4x3	09531235	4,000	3	46	70	1	1
SLTU 4x4	09531243	4,000	4	46	70	1	1
SLTU 4x5	095311251	4,000	5	46	70	1	1
SLTU 4x6	09531260	4,000	6	46	70	1	1
SLTU 4x8	09531278	4,000	8	46	70	1	1
SLTU 4x10	09531286	4,000	10	46	70	1	1

## Round sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLD	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



ENDLESS SLING

The round sling has a tubular weave that protects the internal fibres. This prevents them from coming into direct contact with the load and suffering wear due to friction or other factors. EN1492-2





**MATERIAL:** 100 % polyester  
**FINISH:** Red color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTU 5x2	09531294	5,000	2	50	75	1	1
SLTU 5x3	09531307	5,000	3	50	75	1	1
SLTU 5x4	09531315	5,000	4	50	75	1	1
SLTU 5x5	09531323	5,000	5	50	75	1	1
SLTU 5x6	09531331	5,000	6	50	75	1	1
SLTU 5x8	09531340	5,000	8	50	75	1	1
SLTU 5x10	09531358	5,000	10	50	75	1	1

## Round sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLD	ANGLE FROM 0 TO 45°
			
x1x	2	x0,8	x1,4



ENDLESS SLING

The round sling has a tubular weave that protects the internal fibres. This prevents them from coming into direct contact with the load and suffering wear due to friction or other factors. EN1492-2





**MATERIAL:** 100 % polyester  
**FINISH:** Brown color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTU 6x2	09531366	6.000	2	55	85	1	1
SLTU 6x3	09531374	6.000	3	55	85	1	1
SLTU 6x4	09531382	6.000	4	55	85	1	1
SLTU 6x5	09531390	6.000	5	55	85	1	1
SLTU 6x6	09531403	6.000	6	55	85	1	1
SLTU 6x8	09531411	6.000	8	55	85	1	1
SLTU 6x10	09531420	6.000	10	55	85	1	1

## Round sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLD	ANGLE FROM 0 TO 45°
			
x1x	2	x0,8	x1,4



ENDLESS SLING

The round sling has a tubular weave that protects the internal fibres. This prevents them from coming into direct contact with the load and suffering wear due to friction or other factors. EN1492-2





**MATERIAL:** 100 % polyester  
**FINISH:** Blue color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTU 8x4	09532609	8.000	4	60	95	1	1
SLTU 8x5	09532617	8.000	5	60	95	1	1
SLTU 8x6	09532625	8.000	6	60	95	1	1
SLTU 8x8	09532633	8.000	8	60	95	1	1
SLTU 8x10	09532641	8.000	10	60	95	1	1

## Round sling



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLER	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



ENDLESS SLING

The round sling has a tubular weave that protects the internal fibres. This prevents them from coming into direct contact with the load and suffering wear due to friction or other factors. EN1492-2





**MATERIAL:** 100 % polyester  
**FINISH:** Orange color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTU 10x4	09532650	10.000	4	66	110	1	1
SLTU 10x5	09532668	10.000	5	66	110	1	1
SLTU 10x6	09532676	10.000	6	66	110	1	1
SLTU 10x8	09532684	10.000	8	66	110	1	1
SLTU 10x10	09531438	10.000	10	66	110	1	1

## Round sling with loops



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLER	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



SLING WITH LOOPS

The round sling with loops is a polyester textile band (core load) covered by a woven protective sleeve with an eye at each end. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use.





**MATERIAL:** 100 % polyester  
**FINISH:** Violet color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTG 1x1	09532019	1.000	1	50	45	1	1
SLTG 1x2	09532035	1.000	2	50	45	1	1
SLTG 1x3	09532043	1.000	3	50	45	1	1
SLTG 1x4	09532051	1.000	4	50	45	1	1
SLTG 1x5	09532060	1.000	5	50	45	1	1
SLTG 1x6	09532078	1.000	6	50	45	1	1

## Round sling with loops



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



SLING WITH LOOPS

The round sling with loops is a polyester textile band (core load) covered by a woven protective sleeve with an eye at each end. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use.





**MATERIAL:** 100 % polyester  
**FINISH:** Green color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTG 2x1	09532086	2.000	1	65	50	1	1
SLTG 2x2	09532107	2.000	2	65	50	1	1
SLTG 2x3	09532115	2.000	3	65	50	1	1
SLTG 2x4	09532123	2.000	4	65	50	1	1
SLTG 2x5	09532131	2.000	5	65	50	1	1
SLTG 2x6	09532140	2.000	6	65	50	1	1

## Round sling with loops



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



SLING WITH LOOPS

The round sling with loops is a polyester textile band (core load) covered by a woven protective sleeve with an eye at each end. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use.





**MATERIAL:** 100 % polyester  
**FINISH:** Yellow color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLGT 3x1	09532158	3.000	1	70	60	1	1
SLTG 3x2	09532174	3.000	2	70	60	1	1
SLTG 3x3	09532182	3.000	3	70	60	1	1
SLTG 3x4	09532190	3.000	4	70	60	1	1
SLTG 3x5	09532203	3.000	5	70	60	1	1
SLTG 3x6	09532211	3.000	6	70	60	1	1

## Round sling with loops



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLD	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



SLING WITH LOOPS

The round sling with loops is a polyester textile band (core load) covered by a woven protective sleeve with an eye at each end. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use.





**MATERIAL:** 100 % polyester  
**FINISH:** Grey color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTG 4x1	09532220	4,000	1	90	70	1	1
SLTG 4x2	09532246	4,000	2	90	70	1	1
SLTG 4x3	09532254	4,000	3	90	70	1	1
SLTG 4x4	09532262	4,000	4	90	70	1	1
SLTG 4x5	09532270	4,000	5	90	70	1	1
SLTG 4x6	09532289	4,000	6	90	70	1	1

## Round sling with loops



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLD	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



SLING WITH LOOPS

The round sling with loops is a polyester textile band (core load) covered by a woven protective sleeve with an eye at each end. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use.

**MATERIAL:** 100 % polyester  
**FINISH:** Red color





Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTG 5x1	09532297	5,000	1	95	75	1	1
SLTG 5x2	09532318	5,000	2	95	75	1	1
SLTG 5x3	09532326	5,000	3	95	75	1	1
SLTG 5x4	09532334	5,000	4	95	75	1	1
SLTG 5x5	09532342	5,000	5	95	75	1	1
SLTG 5x6	09532350	5,000	6	95	75	1	1



## Round sling with loops



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLER	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



SLING WITH LOOPS

The round sling with loops is a polyester textile band (core load) covered by a woven protective sleeve with an eye at each end. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use.





**MATERIAL:** 100 % polyester  
**FINISH:** Brown color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTG 6x2	09532377	6.000	2	104	85	1	1
SLTG 6x3	09532385	6.000	3	104	85	1	1
SLTG 6x4	09532393	6.000	4	104	85	1	1
SLTG 6x5	09532406	6.000	5	104	85	1	1
SLTG 6x6	09532414	6.000	6	104	85	1	1

## Round sling with loops



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLER	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



SLING WITH LOOPS

The round sling with loops is a polyester textile band (core load) covered by a woven protective sleeve with an eye at each end. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use.





**MATERIAL:** 100 % polyester  
**FINISH:** Blue color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTG 8x2	09532430	8.000	2	115	95	1	1
SLTG 8x3	09532449	8.000	3	115	95	1	1
SLTG 8x4	09532457	8.000	4	115	95	1	1
SLTG 8x5	09532465	8.000	5	115	95	1	1
SLTG 8x6	09532473	8.000	6	115	95	1	1
SLTG 8x8	09532481	8.000	8	115	95	1	1
SLTG 8x10	09532490	8.000	10	115	95	1	1

## Round sling with loops



TABLE OF LOAD ACCORDING TO FORM OF USE

DIRECT SHOT	DOUBLE SHOT	STRANGLED	ANGLE FROM 0 TO 45°
 x1x	 2	 x0,8	 x1,4



SLING WITH LOOPS

The round sling with loops is a polyester textile band (core load) covered by a woven protective sleeve with an eye at each end. This product is an intermediate lifting device for attaching a load to a shackle or lifting hook. In addition, each sling has a product label with a description of all the characteristics to be considered for its correct use.

**MATERIAL:** 100 % polyester  
**FINISH:** Orange color

Denomination	Part Number	Load C.M.U (kg) Direct shot	Useful length L (m)	Ø band (mm)	Band width (mm)	Box Quantity	Outer Box Quantity
SLTG 10x2	09532510	10.000	2	125	110	1	1
SLTG 10x3	09532529	10.000	3	125	110	1	1
SLTG 10x4	09532537	10.000	4	125	110	1	1
SLTG 10x5	09532545	10.000	5	125	110	1	1
SLTG 10x6	09532553	10.000	6	125	110	1	1
SLTG 10x8	09532561	10.000	8	125	110	1	1
SLTG 10x10	09532570	10.000	10	125	110	1	1