

reflexx[®]

I N S A F E H A N D S

CATALOGUE

Disposable and reusable gloves for professionals



www.reflexx.com

Reflexx is leader in the sale of **nitrile, latex, vinyl, polyethylene, disposable and reusable gloves** in Italy and Europe.



Reflexx's mission is to provide the maximum protection, constant quality and innovation at the most convenient price for professional gloves.

Reflexx gloves have medical, workplace safety and food contact certifications that guarantee the maximum quality, resistance and product safety .

<p>OVER 50 PRODUCTS IN OUR RANGE</p>	<p>MORE THAN 2000 CUSTOMERS IN 29 COUNTRIES</p>	<p>27 SALES AGENCIES OPERATING IN ITALY AND EUROPE</p> 	
	<p>BUSINESS VOLUME OVER 600 CONTAINERS PER YEAR</p> 		
<p>headquarter VIADANA (MN) ITALY</p>	<p>commercial office GENOVA ITALY</p>	<p>INNOVATIVE PRODUCTS</p> 	<p>PARTNERSHIP with the best manufacturing companies in the Far East</p> 

SALES CHANNELS

Reflexx provides its products only to **professional users through specialized distributors** in the following sales channels:

					
<p>Dental</p>	<p>Food usage</p>	<p>Laboratory and medical usage</p>	<p>Janitorial and cleaning companies</p>	<p>Industrial</p>	<p>Cosmetics and tattoo artists</p>

4-5	Regulations		
6-7	Usage industries		
8-13	Food Line		
	Reflexx 77 FOOD		
	Reflexx 72		
	Reflexx 20		
	Reflexx 95		
14-19	Care Line		
	Reflexx L550		
	Reflexx N320		
	Reflexx L600		
	Reflexx N350		
20-33	Nitrile		
	Reflexx 99		
	Reflexx N79 Plus		
	Reflexx N85		
	Reflexx 67		
	Reflexx N69		
	Reflexx 68		
	Reflexx 70		
	Reflexx N71		
	Reflexx 78		
	Reflexx 76		
	Reflexx 77		
	Reflexx N80 Blu		
34-42	Latex		
	Reflexx 40		
	Reflexx 51		
	Reflexx 46		
	Reflexx 44		
		43-45	Vinyl
			Reflexx V34
			Reflexx 36
		46-49	Polyethylene
			Reflexx T25
			Reflexx T22
			Reflexx 18
		50-56	Supported
			Reflexx N22
			Reflexx PU22
			Reflexx N16
			Reflexx PU18 White, Grey, Black
			Reflexx N12
			Reflexx PU13
		57-61	Reusable
			Reflexx 101
			Reflexx 97
			Reflexx 94
			Reflexx 90 / Reflexx 92
		62-64	Feather Line
			Feather Nitrex Black
			Feather Latex PF
			Feather Plus
			Feather Flexx PF
		65-67	Marketing
			Reflexx 98
			Reflexx L96
			Reflexx L1100



Medical Devices (MD)



The EU Regulation 2017/745, which enforced on May 26, 2021, in all EU countries, replaces Directive 93/42 / EEC (standards EN 455 parts 1,2,3 and 4) and provides the requirements for the Medical gloves production, as well as the obligations of labeling and assessment of biological safety and validity. Gloves are medical devices and ensure protection from contamination to the patient and to the user, they are considered a real barrier to fluids and microorganism.

AQL
≤1,5

AQL is the Acceptable Quality Level of the product and indicates the acceptable maximum number of flaws during a sample inspection. The higher the AQL value is, the lower is the product quality. The strict European regulations regarding Medical Devices (standard EN 455-2) and Personal Protective Equipment (REG. EU 2016/425 - standard EN 374-2) uniformly require an AQL for micro-holes ≤ 1.5 as an effective barrier against microorganisms (fungi and bacteria).

Personal Protective Equipment (PPE)



The new PPE Regulation EU 2016/425 has amended in April 2018 and replaced the previous PPE Directive 89/686/EEC. The new PPE regulation now specifies three classes based on risk definitions:

CAT I: minimal risk; self-certified.

CAT II: risks other than those listed in Categories I and III; certified by approved body.

CAT III: very serious risks which may cause death or irreversible damage to health; certified by approved body.

Only the approved bodies may issue a CE mark for PPE CAT II and CAT III. The gloves may not be sold or used without a proper CE mark.

EN 420:2003 + A1:2009



This standard defines the general requirements for glove design, marking and sizing applicable to all protective gloves.




HOW TO MEASURE YOUR HAND IN ORDER TO CHOOSE THE RIGHT GLOVE SIZE

- Use a dressmaker's cloth tape to measure the circumference of the palm of your hand at its widest point (in mm).
- Cross reference that measurement with the table provided below.

	XS	S	M	L	XL	XXL
GLOVE SIZE	6	7	8	9	10	11
HAND CIRCUMFERENCE - MM	152	178	203	229	254	279

EN 374-1:2016

This standard specifies the capability of gloves to protect the user against chemicals and/or micro-organisms.

CLASSIFICATION	MINIMUM PERFORMANCE LEVEL REQUIRED	MINIMUM NUMBER OF CHEMICALS FROM THE 18 LISTED	ICONS
TYPE A	2 (≥ 30 min breakthrough)	6	EN ISO 374-1:2016/Type A 
TYPE B	2 (≥ 30 min breakthrough)	3	EN ISO 374-1:2016/Type B 
TYPE C	1 (≥ 10 min breakthrough)	1	EN ISO 374-1:2016/Type C 

EN ISO 374-5:2016

Performance requirements for micro-organisms risks

EN ISO 374-5: 2016



Pictogram for protective gloves against bacteria and fungi.

EN ISO 374-5: 2016



VIRUS

For protection against bacteria, fungi and virus. The term VIRUS underneath is enclosed to the biohazard pictogram. Tested according to ISO16604:2004 (Phi-X174 bacteriophage).

Permeation Time

It is the time taken for the hazardous liquid to pass through the gloves and get in contact with the hand's skin.

PROTECTION INDEX	BREAKTHROUGH TIME
Level 0	> 10 Min
Level 1	> 10 Min
Level 2	> 30 Min
Level 3	> 60 Min
Level 4	> 120 Min
Level 5	> 240 Min
Level 6	> 480 Min

Degradation

It is the change in puncture resistance of a protective glove due to contact with a chemical. The change after chemical contact shall be tested for all permeation tested chemicals on the glove and the result mentioned in the instructions for use.

EN 388:2016+A1:2018

EN 388:2016 +A1:2018



abcdef

	PERFORMANCE LEVEL RATINGS
a - Abrasion resistance (cycles)	1-4
b - Blade cut resistance (Coupe Test / Index)	1-5
c - Tear resistance (newton)	1-4
d - Puncture resistance (newton)	1-4
e - EN ISO Cut resistance (newton)	A-F
f - EN Impact protection	(P) PASSED or (F) FAILED

Level X can also be applied for "a" through "f" above, which means "not tested" or "not applicable"

Food Contact Material (FCM)



The gloves for alimentary use are not only a fundamental hygiene measure, it is also an FCM - Food Contact Material (Regulation EC 1935/2004 - Italian Ministerial Decree 21.03.1973, EU Reg. 10/2011 and subsequent updates and changes).

What are FCMs? "Any material or article intended to come into contact with food shall be manufactured in compliance with good manufacturing practice so that they do not transfer their constituents to food in quantities which could: endanger human health, cause an unacceptable change in the food composition, or bring about a deterioration in the organoleptic characteristics thereof."

All subjects in the food production chain (producer/distributor/final user) are legally obliged to verify and respect the requirements of the legislation regarding FCMs. In line with law requirements, all Reflexx gloves are tested for overall and specific migration, using food simulants as shown in the chart here below.

EDIBLE FOOD GROUP TYPES AND SIMULANTS ACCORDING TO REG EU 10/2011

ABBREVIATION	FOOD SIMULANTS	SIMULATED FOOD
Food simulant_A	Ethanol 10% (v/v)	Aqueous
Food simulant_B	Acetic acid 3% (p/v)	Acid
Food simulant_C	Ethanol 20% (v/v)	Alcoholic
Food simulant_D1	Ethanol 50% (v/v)*	Dairy
Food simulant_D2	Vegetable oil	Oily, fatty
Food simulant_E	Poly 2,6-diphenyl-p-phenylene oxide, (MPPO)	Dry

* Tested with Ethanol 50% complying with EU Regulation 10/2011



DENTAL

REFLEXX L550
REFLEXX N320
REFLEXX L600
REFLEXX N350

REFLEXX 40
REFLEXX 46
REFLEXX 51
REFLEXX L1100

REFLEXX 76
REFLEXX 77
REFLEXX N80B



LABORATORY AND MEDICAL USAGE

REFLEXX L550
REFLEXX N320
REFLEXX L600
REFLEXX N350

REFLEXX 40
REFLEXX 46
REFLEXX 51
REFLEXX L1100
REFLEXX L96
REFLEXX 98 HR

REFLEXX 99 NHR
REFLEXX 68
REFLEXX 70
REFLEXX N71
REFLEXX 76
REFLEXX 77
REFLEXX N80B

REFLEXX V34
REFLEXX 36



FOOD USAGE

REFLEXX 77
REFLEXX 72
REFLEXX 20
REFLEXX 95

REFLEXX 99 NHR
REFLEXX 70
REFLEXX N71

REFLEXX T25
REFLEXX T22
REFLEXX 18

REFLEXX 97 HD





INDUSTRIAL

REFLEXX 46
REFLEXX L1100
REFLEXX L96
REFLEXX 44
REFLEXX 98 HR

REFLEXX 99 NHR
REFLEXX N79 PLUS
REFLEXX N85
REFLEXX N69
REFLEXX 68
REFLEXX 67
REFLEXX 70
REFLEXX N71

REFLEXX N22 CUT
REFLEXX PU22 CUT
REFLEXX N16 MS
REFLEXX PU18W/G/B
REFLEXX N12
REFLEXX PU13

REFLEXX 95
REFLEXX 94
REFLEXX 97 HD
REFLEXX 101 HD



JANITORIAL AND CLEANING COMPANIES

REFLEXX N350
REFLEXX 51
REFLEXX L1100
REFLEXX L96
REFLEXX 98 HR

REFLEXX 99 NHR
REFLEXX 70
REFLEXX 76
REFLEXX 77
REFLEXX N80B

REFLEXX V34
REFLEXX 36

REFLEXX 18

REFLEXX 95
REFLEXX 94
REFLEXX 90
REFLEXX 92

FEATHER Plus
FEATHER Latexx pf
FEATHER Nitrex Black
FEATHER Flexx pf



COSMETICS AND TATTOO ARTIST

REFLEXX L550
REFLEXX N320
REFLEXX L600
REFLEXX N350

REFLEXX 40
REFLEXX 46
REFLEXX 51
REFLEXX 44

REFLEXX N79 PLUS
REFLEXX 78
REFLEXX 76
REFLEXX N80B

REFLEXX V34
REFLEXX 36

FEATHER Nitrex Black



FOOD LINE: 100% FOOD SAFETY

The Reflexx Food gloves were among the first to be specially conceived and designed for the food sector and are continuously evolving. This is a complete line of gloves with a range of differing characteristics, a products line which can be used with all types of food and in various professional sectors where gloves are used on a daily basis: the food processing and transformation industry, restaurant kitchens of all sizes, canteens, mass catering and the food sectors of large-scale retail (delicatessens, charcuterie, fishmongers, bakeries).



GLOVES FOR ALIMENTARY USE ARE NOT ALL THE SAME

The gloves of the Reflexx Food Line are **tested several times a year** in prestigious European laboratories beyond what is required by law to verify the stability of the materials in different production batches. All the gloves of the Reflexx Food Line have obtained and still obtain, in each test, global and specific migration results within the normal limits. The gloves of the Reflexx Food Line are tested for the presence of NIAS (Non Intentionally Added Substances) and for the specific migration of metals (including lanthanides) and primary aromatic amines.

Also tested with 50% Ethanol simulant in line with the European Regulation 10/2011.

WHY ARE THE FOOD GLOVES BLUE?

The colour of gloves for alimentary use is not a casual choice. Blue is not a colour found in any foodstuffs, and therefore in the case of cuts to the glove, any fragments can be immediately identified, thus eliminating the risk of contaminating the food. With a view to HACCP guidelines, and therefore Risk Analysis, the use of a blue glove is clearly a suitable precautionary measure.



SUITABILITY WITH THE MOST COMMON FOODS				
FOOD	FOOD LINE	LATEX	NITRILE	VINYL
ALCOHOLIC BEVERAGES	●	●	●	●
BUISSCUIT PRODUCTS, BAKERY, FRESH AND DRY PASTRIES	●	●	●	●
CHOCOLATE, SUGAR AND THEIR PRODUCTS, CONFECTIONERY AND HONEY	●	●	●	●
FRUITS AND VEGETABLES	●	●	●	●
DAIRY PRODUCTS: MILK, YOGHURT, CHEESE	●	●	●	●
FRESH FISH, CHILLED, SMOKED, CRUSTACEANS AND MOLLUSCS; MEATS OF EACH SPECIES FRESH CHILLES AND SMOKED, HAM, SALAMI	●	●	●	●
VINEGAR, DRINK UNFILTERED OR TURBID COFFEE, TEA, BEERS, SOFT DRINKS	●	●	●	●
FATS AND OILS: BUTTER, LARD, MARGARINE, EGG YOLK AND EGG WHITE. MISCELLANEOUS REASTED OR FIRED FOODS, SANDWICHES	●	●	●	●
SAUCES, SPICES AND AROMAS	●	●	●	●

Summary table showing the results of the tests carried out by Reflexx at certified laboratories on all of the Reflexx products, including those not belonging to the FOOD line.

● Suitable ● Unsuitable ● According to the model

The Italian Chefs Federation approves the Reflexx Food Line

Nowadays, most Italian professional chefs use gloves from the Reflexx Food line in their everyday work. A milestone resulting from the partnership born between F.I.C. and Reflexx now 5 years ago.



ACADEMIA BARILLA

The first center dedicated to Italian gastronomic culture has chosen the quality of Reflexx gloves.



REFLEX 77

COMING SOON



ULTRA THIN NITRILE GLOVES

LIKE A SECOND SKIN

Carefully-selected raw materials and 100% controlled, technologically advanced production systems make this model particularly suitable for food use.

3 g weight makes them ultra-thin for unprecedented sensitivity while material's top quality provides excellent resistance.




The absence of powder reduces the risk of food contamination or dermatitis.



100% FOOD



- 100% FOOD
- Inner Chlorination
- Micro-roughened
- Weight: 3.0 g


-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE	R77100F S	R77100F M	R77100F L	R77100F XL
FEATURES		FOOD SUITABILITY		
WEIGHT	3.0 g +/- 0.2 (M)	AQUEOUS	✓	
PALM THICKNESS	0.06 mm +/- 0.02	ACID pH <4,5	✓	
LENGTH	24 cm	DAIRY	✓	
COLOUR	Light Blue	ALCOHOLIC	✓	
SURFACE	Micro-roughened	OILY, FATTY	✓	
OTHER	Inner chlorination	DRY FOODS	✓	

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEXX 72

RELIABLE AND RESISTANT NITRILE GLOVES

APPROVED BY USERS SINCE 2015

One of the first gloves on the market to be specifically developed for contact with all foods.

Tested and loved by millions of professional users since 2015.

3,9 g weight is the ideal balance between sensitivity, resistance and durability.

The absence of powder reduces the risk of food contamination or dermatitis.



100% FOOD



- 100% FOOD
- Inner Chlorination
- Micro-roughened
- Weight 3.9 g

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R72 S	R72 M	R72 L	R72 XL
-------------	-------	-------	-------	--------

FEATURES		FOOD SUITABILITY	
WEIGHT	3.9 g +/- 0.3 (M)	AQUEOUS	✓
PALM THICKNESS	0.08 mm +/- 0.02	ACID pH <4,5	✓
LENGTH	24 cm	DAIRY	✓
COLOUR	Light Blue	ALCOHOLIC	✓
SURFACE	Micro-roughened	OILY, FATTY	✓
OTHER	Inner chlorination	DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEXX 20

CPE POLYETHYLENE GLOVES

POWDER FREE, DISPOSABLE, AMBIDEXTROUS

Easy donning and removal thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to normal polyethylene gloves, thanks to increased thickness and the use of more flexible materials.

Great value for money if the glove is needed just for hygienic purpose.



100% FOOD



- Easy donning
- Micro-roughened



ITEM / SIZE	R20 S	R20 M	R20 L	R20 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	1.6 g +/- 0.1 (M)
PALM THICKNESS	0.025 mm +/- 0.003
LENGTH	28 cm
COLOUR	Blue
SURFACE	Micro-roughened
OTHER	Powder Free

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 2h at 40°

CERTIFICATIONS

REGULATIONS



REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

ALLERGENS

CHEMICALS

PACKAGING

USAGE



REFLEXX 95 FH



UNLINED NITRILE GLOVES

33 CM REUSABLE GLOVES

Ideal for the food industry for the handling of sharp-surfaced foods such as fish, crustaceans, bones, etc.

Do not contain Z-MBT (zinc 2-mercaptobenzothiazole, accelerato used in production) which is subject to restrictions according to FCM regulations.

Sold in pairs.



- Thickness: 0.22 mm
- Inner Chlorination
- Anti-slip pattern



100% FOOD



ITEM / SIZE	R95 S	R95 M	R95 L	R95 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	44.0 g +/- 5.0 (M)
PALM THICKNESS	0.22 mm +/- 0.03
LENGTH	33 cm
COLOUR	Blue
SURFACE	Anti-slip pattern
OTHER	Unlined

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG 388:2016+A1:2018
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE



REFLEXX CARE LINE: BECAUSE YOUR HANDS ARE PRECIOUS

The gloves are used in many jobs for several hours a day and we are aware that they can cause troubles for the most sensitive subjects. We are firmly convinced that hands are one of the most important tools for any job and everyday life and that is why we have decided to develop the REFLEXX CARE line that responds innovatively and qualitatively to your hands NUTRITION and PROTECTION needs.

THE LOGO

This is the logo that distinguishes the gloves of the Care line, particularly recommended for skin care.



MATERIALS

COLLOIDAL OATMEAL



"A relief for my skin: These gloves leave my skin in condition better than before wearing them".

wearing them".



ACCELERATORS



"Excellent! Working in a janitorial company, I wear gloves for different hours a day, every day,

and with other gloves I had my hands reddened and irritated. With these gloves instead it does not happen".



ALOE VERA



"They are really the ones I wished. Beautiful, robust and elastic in the right way. The effect of


oatmeal on them skin of my hands is awesome. No doubt:excellent gloves. I recommend them very very much".



COLLOIDAL OATMEAL

CONDITIONS WHEN WEARING TRADITIONAL GLOVES


- Lack of oxygen
- Very high humidity and no transpiration
- Accumulation of oils, urea, salt and water (hydration dermatitis)
- High temperatures
- Potential irritation from glove film (contact dermatitis)



BENEFITS WHEN WEARING COATS GLOVES

COATS[®] technology prevents direct irritation and hydration dermatitis and makes the wearer as comfortable as possible by:

- Creating a natural physical barrier between glove and skin (A)
- Absorbing water, urea and salt excretions (B)
- Anti-irritant and redness reduction
- pH buffering and natural moisturizing



ACCELERATOR-FREE GLOVES

Do you often have your hands irritated, reddened, swollen though not using latex gloves? You have most likely developed a type IV (delayed hypersensitivity) allergy to chemical elements. The causes of these types of allergies in relation to the use of gloves, are due to chemical additives and probably to accelerating agents (eg thiurames, carbamates, benzothiazoles) used during the production process.

Low Derma™ is the patented technology involved in the production of hypoallergenic nitrile gloves. These particular gloves provide all-round protection to the worker.



Patented Technology *

ALORE VERA GLOVES

Aloe vera is just one of the many aloe species, but undoubtedly, the most used both in cosmetics and health. It is a plant known since ancient times for its interesting properties.

REFLEX L550

COMING SOON



LATEX GLOVES WITH COLLOIDAL OATMEAL

SKIN ALLY

The combination of colloidal oatmeal and disposable gloves resulting in **products technologically advanced and officially recognized as “skin protectors”**.

Internally chlorinated for easy donning.

Micro-roughened surface to increase the grip.

Disposable, ambidextrous and powder free.



COATS®



- Weight: 5.5 g
- Colloidal oats hydrate and soothes the skin



ITEM / SIZE	L550 XS	L550 S	L550 M	L550 L	L550 XL
-------------	---------	--------	--------	--------	---------

FEATURES	
WEIGHT	5.5 g +/- 0.3 (M)
PALM THICKNESS	0.10 mm +/- 0.02
LENGTH	24 cm
COLOUR	Mild lemon
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
REG EU 2017/745 | EN 455 1,2,3,4

ALLERGENS



PACKAGING



USAGE



REFLEXX N320

COMING SOON



LATEX GLOVES WITH COLLOIDAL OATMEAL

SKIN ALLY

The combination of colloidal oatmeal and disposable gloves resulting in **products technologically advanced and officially recognized as “skin protectors”**.

Internally chlorinated for easy donning.

Micro-roughened surface to increase the grip.

Disposable, ambidextrous and powder free.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



COATS®



- Weight: 3.2 g
- Colloidal oats hydrate and soothes the skin



ITEM / SIZE	N320 XS	N320 S	N320 M	N320 L	N320 XL
-------------	---------	--------	--------	--------	---------

FEATURES	
WEIGHT	3.2 g +/- 0.2 (M)
PALM THICKNESS	0.06 mm +/- 0.02
LENGTH	24 cm
COLOUR	Ice
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4

ALLERGENS



PACKAGING



USAGE






REFLEXX L600

LATEX GLOVES WITH ALOE VERA

HIGH THICKNESS

LOW PROTEIN: protein content below 50 µg/g, limiting the risk of allergies and increasing biocompatibility.



The Aloe Vera is processed in the inner side of the glove in a cold cycle without using grease.

It is then dried to preserve all the features, without affecting the beneficial properties of the plant. The heat and humidity of the hand reactivate the beneficial properties of Aloe Vera.

Internally chlorinated for easy donning. Micro-roughened surface to increase the grip. Disposable, ambidextrous and powder free.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



- Weight: 6.2 g
- Aloe vera relieves the itching and burning of the skin



ITEM / SIZE	L600 XS	L600 S	L600 M	L600 L	L600 XL
-------------	---------	--------	--------	--------	---------

FEATURES	
WEIGHT	6.2 g +/- 0.3 (M)
PALM THICKNESS	0.12 mm +/- 0.03
LENGTH	24 cm
COLOUR	Green
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
 EN ISO 374-1, EN ISO 374-5
 REG EU 2017/745 | EN 455 1,2,3,4

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX N350



HYPOALLERGENIC NITRILE GLOVES

ACCELERATORS-FREE

Low Derma™ is the result of a special proven and reliable production technology that **eliminates most of the causes of type IV allergies:** accelerating agents.

Sulfur-free and accelerators-free - e.g. thiurames, carbamates, benzothiazoles..

Improved elasticity and force at breakability. Internally chlorinated for easy donning.

Micro-roughened surface to increase the grip.

Disposable, ambidextrous and powder free.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



LOW DERMA™



- Weight: 3.2 g
- Allergy prevention
- Pure and clean with reduced traces of metals and anions



Patented Technology*



ITEM / SIZE	N350 XS	N350 S	N350 M	N350 L	N350 XL
-------------	---------	--------	--------	--------	---------

FEATURES	
WEIGHT	3.2 g +/- 0.2 (M)
PALM THICKNESS	0.06 mm +/- 0.02
LENGTH	24 cm
COLOUR	Blueberry Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS

PACKAGING



USAGE



NITRILE



WHY CHOOSE IT:

Chemical polyvalent resistance

Good mechanical resistance

Low migration to food


WHY AVOID IT:

Low biodegradability



NITRILE GLOVES: COMPARISON TABLE

PRODUCT	DURABILITY	SENSITIVITY	CHEMICAL RESISTANCE
REFLEXX 99	🕒	👉	🛡️
REFLEXX N79 PLUS	🕒	👉	🛡️
REFLEXX N85	🕒	👉	🛡️
REFLEXX 67	🕒	👉	🛡️
REFLEXX N69	🕒	👉	🛡️
REFLEXX 68	🕒	👉	🛡️
REFLEXX 70	🕒	👉	🛡️
REFLEXX N71	🕒	👉	🛡️
REFLEXX 78	🕒	👉	🛡️
REFLEXX 76	🕒	👉	🛡️
REFLEXX 77	🕒	👉	🛡️
REFLEXX N80 BLUE	🕒	👉	🛡️



REFLEX 99 NHR



HIGH RISK NITRILE GLOVES

X-LONG CUFF 29 CM

High Resistance gloves.

Increased thickness and length pulling the wrist over the garments.

Micro-roughened surface to increase the grip and the sensitiveness.

Disposable, ambidextrous, powder free and 100% latex free.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



**EXTRA LONG
EXTRA STRONG**



- Long Cuff
- Weight: 8.8 g
- Inner Chlorination
- Micro-roughened

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R99 S	R99 M	R99 L	R99 XL	R99 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
WEIGHT	8.8 g +/- 0.5 (M)
PALM THICKNESS	0.15 mm +/- 0.03
LENGTH	29 cm
COLOUR	Indigo
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX N79 Plus

COMING SOON



X-LONG NITRILE GLOVES

X-LONG CUFF 30 CM

Disposable, ambidextrous, powder free and 100% latex free.

Long cuff for better protection pulling the wrist over the garment.

The enhanced thickness guarantees a better mechanical resistance.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



EXTRA LONG



- Long Cuff
- Weight: 7.7 g
- Inner Chlorination
- Micro-roughened

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	N79P S	N79P M	N79P L	N79P XL
-------------	--------	--------	--------	---------

FEATURES	
WEIGHT	7.7 g +/- 0.4 (M)
PALM THICKNESS	0.14 mm +/- 0.03
LENGTH	30 cm
COLOUR	Black
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEX N85

POWDER FREE NITRILE GLOVES

FULL GRIP 3D

Special 3D grip on the whole palm and fingers for improved grip.

The special orange colour helps the worker in low light conditions.

Heavy duty: high weight makes the glove particularly suitable for heavy duty usage.

The special diamond finish on the entire palm and fingers guarantees an optimal grip even with wet and slippery products.



**FULL GRIP
HEAVY DUTY**



- Full Grip 3D
- Weight: 8.4 g
- Length: 24 cm

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE




ITEM / SIZE	N85 M	N85 L	N85 XL	N85 XXL
-------------	-------	-------	--------	---------

FEATURES	
WEIGHT	8.4 g +/- 0.4 (M)
PALM THICKNESS	0.15 mm +/- 0.20
LENGTH	24 cm
COLOUR	Orange
SURFACE	3D FULL GRIP
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	X
ACID pH <4,5	X
DAIRY	X
ALCOHOLIC	X
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX 67

COMING SOON



STRONG NITRILE GLOVES

ENHANCED THICKNESS

Black colour. Disposable, ambidextrous, powder free and 100% latex free.

The higher thickness guarantees a better mechanical strength.

Good resistance to oils, fats and to a wide variety of chemicals.

The micro-finish rough increases grip, tactile sensitivity and dexterity.



STRONG



- Weight: 5.5 g
- Inner Chlorination
- Micro-roughened

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE




ITEM / SIZE	R67 M	R67 L	R67 XL	R67 XXL
-------------	-------	-------	--------	---------

FEATURES	
WEIGHT	5.5 g +/- 0.3 (M)
PALM THICKNESS	0.11 mm +/- 0.02
LENGTH	24 cm
COLOUR	Black
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX N69



POWDER FREE NITRILE GLOVES

EXTRA STRONG

Disposable, ambidextrous, powder free and 100% latex free.

Its high thickness makes it the perfect mix between chemical resistance, mechanical resistance and dexterity.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.




Certified for resistance against **VIRUS - EN ISO 374-5:2016**



EXTRA STRONG



- Weight: 6.8 g
- Inner Chlorination
- Micro-roughened

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE	N69 S	N69 M	N69 L	N69 XL	N69 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
WEIGHT	6.8 g +/- 0.4 (M)
PALM THICKNESS	0.13 mm +/- 0.03
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 68



EXTRA STRONG NITRILE GLOVES

RESISTANT AND COMFORTABLE

Disposable, ambidextrous, powder free and 100% latex free.

The enhanced thickness guarantees a better mechanical resistance.

The very high nitrile quality makes it particularly soft and comfortable

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



EXTRA STRONG



- Weight: 6.0 g
- Inner Chlorination
- Micro-roughened

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R68 S	R68 M	R68 L	R68 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	6.0 g +/- 0.3 (M)
PALM THICKNESS	0.12 mm +/- 0.03
LENGTH	24 cm
COLOUR	Green
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 70



TOP QUALITY NITRILE GLOVES

BEST SELLER

Disposable, ambidextrous, powder free and 100% latex free.

Very resistant product with a wide variety of uses.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.




Certified for resistance against **VIRUS - EN ISO 374-5:2016**



TOP QUALITY NITRILE



- Weight: 4.9 g
- Inner Chlorination
- Micro-roughened

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE	R70 S	R70 M	R70 L	R70 XL	R70 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
WEIGHT	4.9 g +/- 0.3 (M)
PALM THICKNESS	0.10 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓*
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

* use ≤10'

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX N71



POWDER FREE NITRILE GLOVES

MULTI-USE, HYPOALLERGENIC

Low Derma™ is the result of a special, proven and reliable production technology that **eliminates most of the causes of type IV allergies:** accelerating agents.

Disposable, ambidextrous, powder free and 100% latex free.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



LOW DERMA™



- Weight: 4.2 g
- Inner Chlorination
- Micro-roughened

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	N71 S	N71 M	N71 L	N71 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	4.2 g +/- 0.02 (M)
PALM THICKNESS	0.09 mm +/- 0.02
LENGTH	24 cm
COLOUR	Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓*
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

* use ≤10'

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 78



BLACK NITRILE GLOVES

IDEAL FOR COSMETICS AND TATTOOS

Black colour. Disposable, ambidextrous, powder free and 100% latex free.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.




Suitable for the contact with most type of food.



BLACK



- Weight: 4.0 g
- Inner Chlorination
- Micro-roughened

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE	R78 XS	R78 S	R78 M	R78 L	R78 XL
-------------	--------	-------	-------	-------	--------

FEATURES		FOOD SUITABILITY	
WEIGHT	4.0 g +/- 0.2 (M)	AQUEOUS	✓
PALM THICKNESS	0.08 mm +/- 0.02	ACID pH <4,5	✗
LENGTH	24 cm	DAIRY	✓*
COLOUR	Black	ALCOHOLIC	✓*
SURFACE	Micro-roughened	OILY, FATTY	✓
OTHER	Inner chlorination	DRY FOODS	✓

Tested for 30' at 40°

* use ≤10'

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEXX 76

SOFT NITRILE GLOVES

SOFT AND ELASTIC

Disposable, ambidextrous, powder free and 100% latex free.

Special “soft” formulation for increased elasticity and sensitiveness.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



SOFT



- Weight: 3.5 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R76 XS	R76 S	R76 M	R76 L	R76 XL
-------------	--------	-------	-------	-------	--------

FEATURES	
WEIGHT	3.5 g +/- 0.2 (M)
PALM THICKNESS	0.07 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX 77



ULTRA THIN NITRILE GLOVES

ULTRA THIN

Carefully-selected raw materials and 100% controlled, technologically advanced production systems make possible to produce a 3.0 grams glove with excellent weight resistance.

Disposable, ambidextrous, powder free and 100% latex free.

Ultra thin for great sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.




Certified for resistance against **VIRUS - EN ISO 374-5:2016**



**ULTRA THIN
TOP QUALITY**



- Weight: 3.0 g
- Inner Chlorination
- Micro-roughened

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE	R77100 XS	R77100 S	R77100 M	R77100 L	R77100 XL
-------------	-----------	----------	----------	----------	-----------

FEATURES	
WEIGHT	3.0 g +/- 0.2 (M)
PALM THICKNESS	0.06 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS




REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX N80B



ULTRA THIN NITRILE GLOVES

MULTI - USE

Disposable, ambidextrous, powder free and 100% latex free.

This glove is suitable for several uses thanks to its great versatility.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



ULTRA THIN



- Weight: 3.0 g
- Inner Chlorination
- Micro-roughened

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	N80B S	N80B M	N80B L	N80B XL
-------------	--------	--------	--------	---------

FEATURES	
WEIGHT	3.0 g +/- 0.2 (M)
PALM THICKNESS	0.06 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



LATEX

reflexx



WHY CHOOSE IT:

Great elasticity even at low temperatures

Waterproof

Good biodegradability

WHY AVOID IT:

Possible sensitizations in predisposed subjects

Unpredictable raw material costs



LATEX GLOVES: COMPARISON TABLE

PRODUCT	DURABILITY	SENSITIVITY	CHEMICAL RESISTANCE
REFLEXX 40	🔄	🔄	🔄
REFLEXX 51	🔄	🔄	🔄
REFLEXX 46	🔄	🔄	🔄
REFLEXX 44	🔄	🔄	🔄
REFLEXX 98	🔄	🔄	🔄
REFLEXX L96	🔄	🔄	🔄
REFLEXX L1100	🔄	🔄	🔄



REFLEXX 40



POWDERED LATEX GLOVES

TOP QUALITY

Disposable, ambidextrous.

Lightly pre-powdered with cornstarch.

First choice product.

Great flexibility, sensitivity and impermeability obtained with high-technology production plants and selection of raw materials.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



**TOP QUALITY
NATURAL LATEX**



- Weight: 5.4 g
- Smooth Surface

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R40 XS	R40 S	R40 M	R40 L	R40 XL
-------------	--------	-------	-------	-------	--------

FEATURES	
WEIGHT	5.4 g +/- 0.3 (M)
PALM THICKNESS	0.09 mm +/- 0.02
LENGTH	24 cm
COLOUR	White
SURFACE	Smooth
OTHER	Powdered

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEXX 51

POWDERED LATEX GLOVES

EXCELLENT VALUE FOR MONEY

Disposable, ambidextrous.

Lightly pre-powdered with cornstarch.

Great flexibility, sensitivity and impermeability



NATURAL LATEX



- Weight: 5.0 g
- Smooth Surface

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R51 XS	R51 S	R51 M	R51 L	R51 XL
-------------	--------	-------	-------	-------	--------

FEATURES	
WEIGHT	5.0 g +/- 0.3 (M)
PALM THICKNESS	0.08 mm +/- 0.02
LENGTH	24 cm
COLOUR	White
SURFACE	Smooth
OTHER	Powdered

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEXX 46

POWDER FREE LATEX GLOVES

TOP QUALITY

LOW PROTEIN: protein content below 50 µg/g to reduce the risk of allergies and increasing biocompatibility.



Internally chlorinated to reduce the risk of allergies.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.




Certified for resistance against **VIRUS - EN ISO 374-5:2016**



TOP QUALITY NATURAL LATEX



- Weight: 5.7 g
- Inner Chlorination
- Micro-roughened

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE	R46 XS	R46 S	R46 M	R46 L	R46 XL
-------------	--------	-------	-------	-------	--------

FEATURES		FOOD SUITABILITY	
WEIGHT	5.7 g +/- 0.3 (M)	AQUEOUS	✓
PALM THICKNESS	0.10 mm +/- 0.02	ACID pH <4,5	✗
LENGTH	24 cm	DAIRY	✗
COLOUR	Amber	ALCOHOLIC	✓
SURFACE	Micro-roughened	OILY, FATTY	✓*
OTHER	Inner chlorination	DRY FOODS	✓

Tested for 30' at 40° *reduction coefficient 4

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 44



POWDER FREE LATEX GLOVES

EXTRA RESISTANT

LOW PROTEIN: protein content below 50 µg/g, to reduce the risk of allergies and increasing biocompatibility.



Higher thickness for better strength.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Externally chlorinated to increase resistance and grip in greasy conditions.

Internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.



EXTRA RESISTANT

Certified for resistance against
VIRUS - EN ISO 374-5:2016



- Weight: 6.2 g
- Inner/outer Chlorination
- Micro-roughened

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R44 S	R44 M	R44 L	R44 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	6.2 g +/- 0.3 (M)
PALM THICKNESS	0.12 mm +/- 0.03
LENGTH	24 cm
COLOUR	Black
SURFACE	Micro-roughened
OTHER	Inner/outer chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 98 HR



HIGH RISK LATEX GLOVES

X-LONG CUFF 30 CM

LOW PROTEIN: protein content below 50 µg/g, to reduce the risk of allergies and increasing biocompatibility.



High resistance gloves. Disposable, ambidextrous.

Internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.

Micro-roughened surface to increase the grip and the sensitiveness.

EN ISO 374-1:2016 TYPE A
(certified with 6 chemicals)

Certified for resistance against
VIRUS - EN ISO 374-5:2016



**EXTRA LONG
EXTRA STRONG**



- Inner Chlorination
- Micro-roughened
- Weight: 18.5 g
- Long Cuff

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R98 S	R98 M	R98 L	R98 XL	R98 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
WEIGHT	18.5 g +/- 1.0 (M)
PALM THICKNESS	0.33 mm +/- 0.06
LENGTH	30 cm
COLOUR	Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	X
ACID pH <4,5	X
DAIRY	✓
ALCOHOLIC	X
OILY, FATTY	X
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE






REFLEX L96 HR

LIGHTWEIGHT HIGH RISK LATEX GLOVES

X-LONG CUFF 28 CM

LOW PROTEIN: protein content below 50 µg/g, to reduce the risk of allergies and increasing biocompatibility.



High resistance gloves. Disposable, ambidextrous.

Internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.

Micro-roughened surface to increase the grip and the sensitiveness.

EN ISO 374-1:2016 TYPE A
(certified with 6 chemicals)

Certified for resistance against
VIRUS - EN ISO 374-5:2016



EXTRA LONG STRONG



- Weight: 13.0 g
- Inner Chlorination
- Micro-roughened
- Long Cuff

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	L96 S	L96 M	L96 L	L96 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	13.0 g +/- 1.0 (M)
PALM THICKNESS	0.20 mm +/- 0.03
LENGTH	28 cm
COLOUR	Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4

ALLERGENS



CHEMICALS



PACKAGING



USAGE






REFLEXX L1100

ANATOMICAL SHAPE LATEX GLOVES FOR LEFT AND RIGHT HAND

X-LONG CUFF 28 CM

LOW PROTEIN: protein content below 50 µg/g, to reduce the risk of allergies and increasing biocompatibility.



Disposable. Different fits for the right and the left hand.

Micro-roughened surface to increase the grip and the sensitiveness. The absence of powder reduces the risk of dermatitis and contamination.

100 pcs. pack: 50 right hand + 50 left hand.

Certified for resistance against **VIRUS - EN ISO 374-5:2016**



- Weight: 9.6 g
- Long Cuff
- Micro-roughened
- Anatomical Shape

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ANATOMICAL SHAPE EXTRA LONG



ITEM / SIZE	L1100 S	L1100 M	L1100 L	L1100 XL
-------------	---------	---------	---------	----------

FEATURES	
WEIGHT	9.6 g +/- 0.5 (M)
PALM THICKNESS	0.19 mm +/- 0.02
LENGTH	28 cm
COLOUR	Amber
SURFACE	Micro-roughened
OTHER	Anatomical Shape

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✓*
DRY FOODS	✓

Tested for 30' at 40° *reduction coefficient 4

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
 EN ISO 374-1, EN ISO 374-5
 REG EU 2017/745 | EN 455 1,2,3,4
 DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



VINYL

REFLEX



WHY CHOOSE IT:

Not contains accelerators

Good biocompatibility

Good value for money

WHY AVOID IT:

Poor elasticity and
molecular cohesion

Poor mechanical resistance



REFLEXX V34



VINYL GLOVES WITH NITRILE

VINYL AND NITRILE GLOVES

Disposable, ambidextrous, powder free and 100% latex free.

The addition of nitrile makes the product more elastic and resistant than vinyl-only gloves.

The absence of powder reduces the risk of dermatitis and contamination.




Certified for resistance against **VIRUS - EN ISO 374-5:2016**



WITH NITRILE



- Weight: 5.0 g
- Smooth surface

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE	V34 S	V34 M	V34 L	V34 XL
-------------	-------	-------	-------	--------

FEATURES		FOOD SUITABILITY	
WEIGHT	5.0 g +/- 0.2 (M)	AQUEOUS	✓
PALM THICKNESS	0.08 mm +/- 0.02	ACID pH <4,5	✓
LENGTH	24 cm	DAIRY	✗
COLOUR	Light Blue	ALCOHOLIC	✗
SURFACE	Smooth	OILY, FATTY	✗
OTHER	Powder Free	DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 36



POWDER FREE VINYL GLOVES

Manufactured with specific low toxicity phtalates.

Disposable, ambidextrous, powder free and 100% latex free.

High biocompatibility.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



- Weight: 4.5 g
- Smooth Surface

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R36 S	R36 M	R36 L	R36 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	4.5 g +/- 0.2 (M)
PALM THICKNESS	0.07 mm +/- 0.02
LENGTH	24 cm
COLOUR	Transparent
SURFACE	Smooth
OTHER	Powder Free

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



POLYETHYLENE



WHY CHOOSE IT:

Cheap

Suitable with food contact

Easy donning

WHY AVOID IT:

Poor resistance especially near weldings



REFLEXX T25



THERMOPLASTIC ELASTOMER GLOVES (TPE)

MEDICAL DEVICE


Disposable, ambidextrous, powder free and 100% latex free.

Easy donning and removal thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to polyethylene gloves (HDPE and CPE) thanks to increased thickness and the use of more flexible materials (TPE).

Recommended for medical use.



MEDICAL DEVICE



- Weight: 2.5 g
- Micro-roughened
- Long Cuff



ITEM / SIZE	T25 S	T25 M	T25 L	T25 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	2.5 g +/- 0.2 (M)
PALM THICKNESS	0.09 mm +/- 0.01
LENGTH	26 cm
COLOUR	Blue
SURFACE	Micro-roughened
OTHER	Powder free

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 2h at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX T22



THERMOPLASTIC ELASTOMER GLOVES (TPE)

STRETCH

Disposable, ambidextrous, powder free and 100% latex free.

Easy donning and removal thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to polyethylene gloves (HDPE and CPE) thanks to increased thickness and the use of more flexible materials (TPE).

Great value for money if the glove is needed just for hygienic purpose.



STRETCH



- Weight: 2.0 g
- Micro-roughened
- Long Cuff



ITEM / SIZE	T22 S	T22 M	T22 L
FEATURES		FOOD SUITABILITY	
WEIGHT	2.0 g +/- 0.1 (M)		AQUEOUS <input checked="" type="checkbox"/>
PALM THICKNESS	0.05 mm +/- 0.003		ACID pH <4,5 <input checked="" type="checkbox"/>
LENGTH	27 cm		DAIRY <input checked="" type="checkbox"/>
COLOUR	Blue		ALCOHOLIC <input checked="" type="checkbox"/>
SURFACE	Micro-roughened		OILY, FATTY <input checked="" type="checkbox"/>
OTHER	Powder free		DRY FOODS <input checked="" type="checkbox"/>

Tested for 2h at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 18



HIGH DENSITY POLYETHYLENE GLOVES (HDPE)

100 and 500 PCS PACK.

Disposable, ambidextrous, powder free and 100% latex free.

Slightly embossed surface.
Recommended for any use where a low-cost, easy-to-wear disposable glove is required.

The pack of 500 pcs. greatly reduces costs for each shipment and handling.

Also available in packs of 100 pcs.



HIGH DENSITY HDPE



- Weight: 0.7 g
- Micro-roughened
- Powder Free



ITEM / SIZE	R18 P500	ONE SIZE
-------------	------------	----------

FEATURES	
WEIGHT	0.7 g +/- 0.1 (M)
PALM THICKNESS	0.01 mm +/- 0.003
LENGTH	28 cm
COLOUR	Transparent
SURFACE	Micro-roughened
OTHER	Powder free

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011


ALLERGENS



CHEMICALS




PACKAGING



USAGE




SUPPORTED



Supported gloves are protective gloves made of a coated fabric. They are made by dipping a knitted glove into a liquid compound such as nitrile or polyurethane. The knitted part “supports” the coating and adds strength, therefore they are called “supported gloves”.

The Reflexx range of supported gloves is renewed by adding six new high-quality aerated models (**PRO**) che alongside the classic line.



Size color (highlighted on the cuff)

- 6 / XS ●
- 7 / S ●
- 8 / M ●
- 9 / L ●
- 10 / XL ●
- 11 / XXL ●



PRO gloves packaging



Legenda



Bodywork



General manufacturing



Hobby sectors



Assembly



Logistics



Carpentry



Painting



Construction



Electronics

REFLEXX N22 MS



NITRILE MICROSANDY GLOVES

ANTI-CUT

Cut resistant glove: level C.

The HPPE knit provides cut-resistance, while the elastane and polyamide make the glove elastic and comfortable.

The palm is coated with a **DOUBLE** application of **Nitrile Microsandy**, which provides for excellent grip and elevated oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease.

Dimethylformamide (DMF) free.

EN 388:2016+A1:2018 - 4X43C



CUT PROTECTION



- Length: 24 cm
- Nitrile Microsandy double dip
- Seamless

ITEM / SIZE	N22 S	N22 M	N22 L	N22 XL	N22 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
LENGTH	24 cm (M)
COLOUR	Black
KNIT	HPPE Elastan Polyamide
COATING	Nitrile Microsandy
OTHER	Seamless

COATING




ANTI-CUT



ENVIRONMENT OF USE



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN 388:2016 + A1:2018

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE



REFLEXX PU22



POLYURETHANE GLOVES

ANTI-CUT

Cut resistant glove: level C.

The HPPE knit provides cut-resistance, while the elastane and polyamide make the glove elastic and comfortable.

Polyurethane coated palm, which provides the utmost breathability.

Ideal for use in dry working environments.

EN 388:2016+A1:2018 - 4X42C



CUT PROTECTION



- Length: 24 cm
- Polyurethane Coating
- Seamless

ITEM / SIZE	PU22 XS	PU22 S	PU22 M	PU22 L	PU22 XL	PU22 XXL
FEATURES			COATING		ANTI-CUT	
LENGTH	24 cm (M)					
COLOUR	Black / Melange					
KNIT	HPPE Elastan Polyamide		ENVIRONMENT OF USE 			
COATING	Polyurethane					
OTHER	Seamless					

CERTIFICATIONS

REGULATIONS



EN 388:2016+A1:2018

EN 420



4X42C



REG EU 2016/425

EN 388:2016 + A1:2018

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE





REFLEXX N16 MS

NITRILE MICROSANDY GLOVES

Polyamide/spandex glove.
The presence of Spandex increases the elasticity of the glove, also limiting the penetration of liquids.

Nitrile Microsandy coated palm which provides an excellent grip and increased oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease.

Dimethylformamide (DMF) free.

EN 388:2016+A1:2018 - 4121X



NITRILE MICROSANDY



- Length: 24 cm
- Nitrile Microsandy coating
- Seamless



ITEM / SIZE	N16 XS	N16 S	N16 M	N16 L	N16 XL	N16 XXL
-------------	--------	-------	-------	-------	--------	---------

FEATURES	
LENGTH	24 cm (M)
COLOUR	Black
KNIT	Polyamide / Spandex
COATING	Nitrile Microsandy
OTHER	Seamless


COATING



ENVIRONMENT OF USE



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN 388:2016 + A1:2018

ALLERGENS



CHEMICALS



PACKAGING



* 10 masterbag of 10 packs each

USAGE



REFLEXX PU18



POLYURETHANE GLOVES

Polyamide glove..

Polyurethane coated palm which provides utmost breathability.

Ideal for use in dry working environments.

Available in 3 different colours: white, grey and black..

EN 388:2016+A1:2018 - 4131X



PU18B

PU18G

PU18W

POLYURETHANE



- Length: 24 cm
- Polyurethane Coating
- Seamless



ITEM / SIZE	PU18W XS	PU18W S	PU18W M	PU18W L	PU18W XL	PU18W XXL
ITEM / SIZE	PU18G XS	PU18G S	PU18G M	PU18G L	PU18G XL	PU18G XXL
ITEM / SIZE	PU18B XS	PU18B S	PU18B M	PU18B L	PU18B XL	PU18B XXL

FEATURES

LENGTH	24 cm (M)
COLOUR	White, grey or black
KNIT	Polyamide
COATING	Polyurethane
OTHER	Seamless


COATING



ENVIRONMENT OF USE



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN 388:2016 + A1:2018

ALLERGENS



CHEMICALS



PACKAGING



* 10 masterbag of 10 packs each

USAGE





REFLEXX N12


NITRILE GLOVES

Seamless knitted white synthetic gloves, **grey nitrile palm coated**.

Elastic wrist, open back.

Not suitable for dipping.

EN 388:2016+A1:2018 - 2131X



FEATURES	
LENGTH	24 cm (M)
COLOUR	White / Grey
KNIT	Synthetic
COATING	Nitrile
OTHER	Seamless

CERTIFICATIONS	REGULATIONS
	REG EU 2016/425 EN 388:2016 + A1:2018

ALLERGENS	USAGE	PACKAGING			
		<p>* 5 masterbag of 10 packs each</p>			
ITEM / SIZE	R12 S	R12 M	R12 L	R12 XL	R12 XXL

REFLEXX PU13



POLYURETHANE GLOVES

Seamless knitted black synthetic gloves, **black polyurethane palm coated**.

Elastic wrist, open back.

Not suitable for dipping.

EN 388:2016+A1:2018 - 2121X




FEATURES	
LENGTH	24 cm (M)
COLOUR	Black / Black
KNIT	Synthetic
COATING	Polyurethane
OTHER	Seamless

CERTIFICATIONS	REGULATIONS
	REG EU 2016/425 EN 388:2016 + A1:2018

ALLERGENS	USAGE	PACKAGING			
		<p>* 5 masterbag of 10 packs each</p>			
ITEM / SIZE	R13 S	R13 M	R13 L	R13 XL	R13 XXL

REUSABLE

TECHNEXX



REFLEXX 101 HD



NEOPRENE AND LATEX GLOVES

LIGHT INNER FLOCK-LINING

Sold in pairs.

Lightly flock-lined and externally chlorinated.

Anti-slip pattern.

Good chemical and mechanical resistance.

EN ISO 374-1:2016 TYPE A

(certified with 6 chemicals)

and certified for resistance against

VIRUS - EN ISO 374-5:2016



NEOPRENE + LATEX



- Weight: 105.0 g
- Lightly flock-lined
- Anti-slip pattern



ITEM / SIZE	R101 M	R101 L	R101 XL	R101 XXL
-------------	--------	--------	---------	----------

FEATURES	
PAIR WEIGHT	105.0 g +/- 5.0 (M)
PALM THICKNESS	0.68 mm +/- 0.05
LENGTH	32 cm
COLOUR	Black
SURFACE	Anti-slip pattern
OTHER	Lightly flock-lined



CERTIFICATIONS








REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG 388:2016+A1:2018

ALLERGENI



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE





REFLEXX 97 HD

NITRILE GLOVES

LIGHT INNER FLOCK-LINING

Sold in pairs. Lightly flock-lined. Externally chlorinated.

Anti-slip pattern.

Excellent chemical (polyvalent) and mechanical (abrasion and perforation) resistance.

The stable formulation allows the contact with any type of food (for 30' at 40° C).

EN ISO 374-1:2016 TYPE A
(certified with 6 chemicals)
and certified for resistance against
VIRUS - EN ISO 374-5:2016



HEAVY NITRILE



- Weight: 63.0 g
- Lightly flock-lined
- Anti-slip pattern



ITEM / SIZE	R97 M	R97 L	R97 XL	R97 XXL
-------------	-------	-------	--------	---------

FEATURES	
PAIR WEIGHT	63.0 g +/- 5.0 (M)
PALM THICKNESS	0.40 mm +/- 0.05
LENGTH	33 cm
COLOUR	Green
SURFACE	Anti-slip pattern
OTHER	Lightly flock-lined

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG 388:2016+A1:2018
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE





REFLEXX 94

LATEX GLOVES

BICOLOUR FLOCK-LINED

Double yellow/blue latex layers for higher resistance on palm and fingers.

High quality for long lasting and improved resistance.
Externally chlorinated for better performance and hygiene.

Anti-slip pattern.
Cotton flock-lining inside.



BICOLOR




- Weight: 80.0 g
- Lightly flock-lined
- Anti-slip pattern



ITEM / SIZE	R94 S	R94 M	R94 L	R94 XL
-------------	-------	-------	-------	--------

FEATURES	
PAIR WEIGHT	80.0 g +/- 5.0 (M)
PALM THICKNESS	0.50 mm +/- 0.05
LENGTH	33 cm
COLOUR	Yellow / Blue
SURFACE	Anti-slip pattern
OTHER	Lightly flock-lined



CERTIFICATIONS

REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5

ALLERGENS

CHEMICALS

PACKAGING

USAGE



* 5 masterbag of 10 packs each



REFLEXX 90

FLOCK-LINED LATEX GLOVES

Sold in pairs, beaded cuff.

Anti-slip pattern.

Cotton flock-lining inside.



FEATURES	
PAIR WEIGHT	50.0 g +/- 3.0 (M)
PALM THICKNESS	0.32 mm +/- 0.04
LENGTH	30 cm
COLOUR	Yellow
SURFACE	Anti-slip pattern
OTHER	Cotton flock-lined

CERTIFICATIONS



REGULATIONS

REG EU 2016/425


ALLERGENS



USAGE



PACKAGING



* 12 masterbag of 10 packs each

ITEM / SIZE	R90 S	R90 M	R90 L	R90 XL
-------------	-------	-------	-------	--------

REFLEXX 92

UNLINED LATEX GLOVES

Sold in pairs.

Internally chlorinated for easy donning and to reduce the risk of latex protein allergies.



FEATURES	
PAIR WEIGHT	50.0 g +/- 3.0 (M)
PALM THICKNESS	0.30 mm +/- 0.04
LENGTH	30 cm
COLOUR	Amber
SURFACE	Anti-slip pattern
OTHER	Unlined

CERTIFICATIONS



REGULATIONS

REG EU 2016/425

ALLERGENS



USAGE




PACKAGING



* 12 masterbag of 10 packs each

ITEM / SIZE	R90 S	R90 M	R90 L	R90 XL
-------------	-------	-------	-------	--------

FEATHER






FEATHER PLUS

POWDERED LATEX GLOVES

Disposable, ambidextrous.



USAGE



FOOD SUITABILITY

AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

FEATURES

WEIGHT	4.8 g +/- 0.4 (M)
PALM THICKNESS	0.07 mm +/- 0.03
LENGTH	24 cm
COLOUR	White
SURFACE	Smooth
OTHER	Powdered

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



PACKAGING



ITEM / SIZE	FP S	FP M	FP L	FP XL
-------------	------	------	------	-------

FEATHER LATEXX PF



POWDER FREE LATEX GLOVES

Disposable, ambidextrous.
Protein content below 50 µg/g to reduce the risk of allergies and increasing biocompatibility.



USAGE



FOOD SUITABILITY

AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

FEATURES

WEIGHT	5.4 gr +/- 0.2 (M)
PALM THICKNESS	0.1 mm +/- 0.03
LENGTH	24 cm
COLOUR	White
SURFACE	Micro-roughened
OTHER	Inner chlorination

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



PACKAGING



ITEM / SIZE	FPF S	FPF M	FPF L	FPF XL
-------------	-------	-------	-------	--------



FEATHER NITREXX BLACK

POWDER FREE NITRILE GLOVES

Disposable, ambidextrous.

High sensitivity and resistance (2.2 g only).



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

FOOD SUITABILITY

AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

FEATURES

WEIGHT	2.2 g +/- 0.2 (M)
PALM THICKNESS	0.05 mm +/- 0.02
LENGTH	24 cm
COLOUR	Black
SURFACE	Micro-roughened
OTHER	Powder Free

CERTIFICATIONS



PACKAGING



ALLERGENS



CHEMICALS

USAGE



ITEM / SIZE

FNXB S

FNXB M

FNXB L

FNXB XL

FEATHER FLEXX PF



POWDER FREE VINYL GLOVES

Disposable, ambidextrous.



CERTIFICATIONS



REGULATIONS

REG EU 2016/425

FEATURES

WEIGHT	3.5 g +/- 0.2 (M)
PALM THICKNESS	0.05 mm +/- 0.02
LENGTH	24 cm
COLOUR	Transparent
SURFACE	Smooth
OTHER	Powder Free

ALLERGENS



USAGE



PACKAGING



ITEM / SIZE

FVPF S

FVPF M

FVPF L

FVPF XL

Promotional material

Floor Display

4 shelves suitable for displaying the different Reflexx dispensers



Dimensions (cm):
57.4 x 174 x 38

Floor Display - Reflexx Pro

9 hooks for hanging work gloves from the Reflexx Pro line



Dimensions (cm):
59.6 x 181 x 392

Desk Display - Tester

Universal base with removable crown for the different sectors of use of the gloves



Dimensions (cm):
19 x 40/55 x 11

Depliant

Depliant and brochure of the various Reflexx lines: Food Line, Care Line and supported work gloves.



Sample packs

Sample bags containing 4 sample gloves. Available for all models and sizes of disposable gloves.



Packaging

All Reflexx packs are designed to facilitate the identification of the item and sizes and to provide all the information required by law.



Website

The constantly updated www.reflexx.com site is the collection point for all information about the company and its products.

The screenshot shows the product page layout. At the top, there's a navigation bar with 'reflexx IN SAFE HANDS' and menu items: 'PRODOTTI - SETTORE - NORMATIVE PRESS - AZIENDA - CONTATTI'. Below is a blue header with the product name and a 'HOME' link. The main content area features a product image of a box of gloves, a list of key features, and a 'RICIEDI SUBITO UN PREVENTIVO' button. A 'DOWNLOADS' section contains buttons for 'DICHIARAZIONE DI CONFORMITÀ DPI', 'NOTA INFORMATIVA', and 'IDONEITÀ CONTATTO ALIMENTARE'. A green arrow points to a PDF icon. At the bottom, there are social media icons and a 'CERTIFICAZIONI' tab.

The product page presents all the essential information for the user: from glove features to regulations for which it is suitable and the test results passed.

All accompanied with a photograph of the sales package and a photo of the glove.

The download section from which you can download all the updated documentation in convenient PDF format (information notes, declarations of conformity, DICA etc ...).

In these pop-up sections, the following topics can be explored:

- certifications
- characteristics
- advice for use
- information on allergens
- measurements, weights and EAN codes of each size of dispenser and carton
- instructions for the correct disposal of the packaging and the glove
- illustrative video of the product

The screenshot shows the 'CERTIFICAZIONI' section with tabs for 'CARATTERISTICHE', 'CONSIGLIATI PER', 'ALLERGENI', 'MISURE E IMBALLI', 'SMALTIMENTO', and 'VIDEO'. The main content area displays the CE mark and text explaining its significance. Below, it shows the 'DPI' (Personal Protective Equipment) classification according to Regulation EU 2016/425, listing different categories (CAT I, II, III) and their corresponding risk levels and certification requirements.

The Reflexx web site contains many other useful info in the **PRESS** section, check it periodically to be update about our activities.

Industry Magazines

Reflexx is also constantly present on the best sector publications in the BtoB sector on which you can read our interventions and see our advertisements.



Sponsorship

Reflexx alongside the Willem Hooft Foundation: "I can no longer walk, but I will learn to fly" is the promise that Willem made to himself immediately after the accident that left him in a wheelchair in 2016. A great windsurfing enthusiast, he never stopped fighting for his dream.

Visit the website www.willemhooftfoundation.com



Social media

For a continuous update on the latest news of Reflexx products or sector information follow us on social networks, scan the QR codes below!





Reflexx S.p.A.

Via Passeri, 2 46019 - Viadana (MN) - ITALY
Ph. +39 0375 758891 - Fax +39 0375 464504 - contact@reflexx.com

www.reflexx.com

08.2021

Reflexx S.p.A. reserves the right to make changes without further notice.